



Service Planning Area 8 Update – August 25, 2022

1. **Monkey Pox:** As of August 11, 2022, there have been 738 cases of monkeypox identified in LA County which is double the number of cases we had 12 days ago. Residents who do not have access to the internet or need assistance with vaccine access can call the Public Health Call Center at 833-540-0473, with staff available 7 days a week from 8:00 am – 8:30 pm in multiple languages. Resources for Monkeypox can be accessed at this [link](#). Materials are available in other languages if needed. To keep up to date about monkeypox cases in the County, please visit the monkeypox dashboard at <http://publichealth.lacounty.gov/media/monkeypox/>
2. **Food Pantry:** The Curtis Tucker Center for Community Wellness in Inglewood has begun hosting a monthly food pantry for the community. Our first event was very well attended. We estimated serving 50 families, at the end of the 2-hour event we provided 93 families (394 individuals) both non-perishable and fresh produce. We hope to serve 100 families at the following monthly event and increasing that number each month. Please share the attached flyer with your networks and constituents.
3. **New Partnership:** The Center for Community Wellness has partnered with the Drug Enforcement Agency (DEA) to promote their initiative to train barbers and nail technicians in the community to be mentors and serve as resources for youth in the community.
4. **Seeking a Partnership:** As we have shared, our Center for Community Wellness hosts free workshops and support groups for the community in the areas of mental health/trauma healing, substance abuse prevention and health & wellness. We are seeking partners with trauma healing or mental health focus to host free programming at the Curtis Tucker Center for Community Wellness. Please email us if you are interested, CurtisTuckerCCW@ph.lacounty.gov. To learn about our current available programming, visit our monthly calendar by clicking this [link](#).
5. **COVID-19:** Please continue to protect yourself and others by getting vaccinated or boosted against COVID-19, masking, staying at home when sick and getting tested. For information where to get vaccinated or boosted please click [here](#). Attached is a Frequently Asked Questions document on COVID-19 booster doses or you can also click the link [here](#).
6. **Flu Prevention:** The Department of Public Health is planning for the 2022 flu season. Once the schedule of free vaccine clinics is ready we will share the information so that it can be shared with the community.



COVID-19 Vaccines - Frequently Asked Questions

BOOSTER DOSES



To view these and other vaccine FAQs online, visit the [COVID-19 vaccine webpage](#).

Who are COVID-19 vaccine booster doses recommended for?

For the best protection against COVID-19, the CDC recommends that everyone age 18 and older *should* get one booster dose. Children age 5-17 who received the Pfizer vaccine for their primary series *should* get a booster dose. In addition, some people should get a 2nd booster. (See [Who can get a 2nd booster?](#) below). The Moderna vaccine has only recently been authorized for children ages 5 to 17 years of age, so it is too soon to know when a booster dose will be needed.

Getting a COVID-19 vaccine booster is important because it strengthens your immunity. This gives you better protection from getting seriously ill, being hospitalized, and even dying.

Note: The Pfizer COVID-19 vaccine for children 6 months-4 years and the Moderna COVID-19 vaccine for children 6 months-17 years were only recently authorized for use in these age groups, so it is too soon to know when a booster dose will be needed.

Learn more at CDC webpage [COVID-19 Vaccine Boosters](#).

When am I eligible to receive a booster dose?

If you are age 18 and over, you are eligible for a booster dose:

- 5 months after the last dose of your Moderna or Pfizer vaccine primary series, or
- 2 months after a single dose of Johnson & Johnson (J&J) vaccine.

The booster dose may be any COVID-19 vaccine, but Pfizer or Moderna are preferred.

If you are age 5-17 and you got the Pfizer vaccine primary series, you are eligible for a booster dose:

- 5 months after the last dose of Pfizer.

If you are moderately or severely immunocompromised, you should get your booster dose sooner. See the CDC webpage [COVID-19 Vaccines for Moderately or Severely Immunocompromised People](#) to learn more.

If you have not gotten your first booster dose yet and you are due, now is the time to get your booster.

Visit the CDC interactive [Getting your COVID-19 Booster](#) tool to help determine if you (or your child) can get one or more COVID-19 boosters.

Talk to your doctor if you have questions.

Who can get a second booster dose?

The following people are eligible to get a 2nd COVID-19 booster if it has been *at least 4 months* since their 1st booster. Those who are:

- Age 50 and older
- Age 12 and older who are [moderately or severely immunocompromised](#)
- Age 18-49 who received J&J for both their primary dose and booster dose





COVID-19 Vaccines - Frequently Asked Questions

BOOSTER DOSES

If you are age 50 and older or if you are age 12 and older and are [moderately or severely immunocompromised](#) (and it has been 4 months since your first booster) you **should** get your 2nd booster now to remain up to date with your COVID-19 vaccines. It is important to note COVID-19 rates are rising, and you are at higher risk of getting seriously ill if you get COVID-19.

If you are age 18-49 and you received J&J for both your primary dose and booster dose (and it has been 4 months since your first booster) you **may** get a 2nd booster. The second booster dose is not required to be considered up to date. If you are a [higher risk](#) of getting sick from COVID-19, get your 2nd booster now. If you are healthy and have limited exposures to others, then you can consider waiting.

See the CDC webpage [COVID-19 Vaccine Boosters](#) for more information.

Visit the CDC interactive [Getting your COVID-19 Booster](#) tool to help determine if you (or your child) can get a 2nd booster.

Talk to your doctor if you have questions.

What are the risks of getting a booster?

Reactions after booster doses are like those after primary doses. Most side effects are mild to moderate and last 2 days or less. As with the primary series, serious side effects are rare. For more details, visit the CDC webpage [Safety of COVID-19 Vaccines](#). The benefits of getting a booster dose outweigh any known and potential risks.

Will I need to show a doctor's note or prescription to get a booster dose?

No, you do not need a doctor's note or prescription to get a booster dose. You can self-attest (self-report) if you are eligible. When you go to the location, take proof of vaccination such as your CDC white card or digital vaccination record. Visit the Public Health [How to Get Vaccinated](#) webpage for more information.

Where can I get more information?



- To print or view this FAQ or FAQs on other COVID-19 vaccine topics, scan the QR code or visit [COVID-19 vaccine FAQs](#).
- CDC webpage [COVID-19 Vaccine Booster Doses](#)
- [VaccinateLACounty.com](#) – including [COVID-19 Vaccine Schedules](#) with graphics to show when each dose is due and information on [How to Get Vaccinated](#).
- Talk to your doctor if you have questions.



Vacunas contra el COVID-19 - Preguntas frecuentes

DOSIS DE REFUERZO

Para ver estas y otras preguntas frecuentes sobre vacunas en línea, visite [la página web de la vacuna contra el COVID-19](#).

¿Para quién se recomiendan las dosis de refuerzo de la vacuna contra el COVID-19?

Para obtener la mejor protección contra el COVID-19, los CDC recomiendan que todas las personas mayores de 18 años *reciban* una dosis de refuerzo. Los niños de 5 a 17 años que recibieron la vacuna de Pfizer para su serie primaria también deben recibir una dosis de refuerzo. Además, algunas personas deberían recibir una segunda dosis de refuerzo. (Consulte [¿Quién puede recibir una segunda dosis de refuerzo?](#) a continuación). La vacuna Moderna se autorizó recientemente para niños de 5 a 17 años, por lo que es demasiado pronto para saber cuándo se necesitará una dosis de refuerzo.

Recibir una dosis de refuerzo de la vacuna contra el COVID-19 es importante porque fortalece su inmunidad. Esto le brinda una mejor protección contra enfermedades graves, ser hospitalizado e incluso morir.

Nota: La vacuna Pfizer contra el COVID-19 para niños de 6 meses a 4 años y la vacuna Moderna contra el COVID-19 para niños de 6 meses a 17 años se autorizaron recientemente para su uso en estos grupos de edad, por lo que es demasiado pronto para saber cuándo será necesaria administrar una dosis de refuerzo.

Obtenga más información en la página web de los CDC [Dosis de refuerzos de la vacuna contra el COVID-19](#).

¿Cuándo soy elegible para una dosis de refuerzo?

Si tiene 18 años o más, es elegible para una dosis de refuerzo:

- 5 meses después de la última dosis de su serie primaria de vacunas Moderna o Pfizer.
- 2 meses después de una dosis única de la vacuna Johnson & Johnson (J&J), o

La dosis de refuerzo puede ser cualquier vacuna contra el COVID-19, pero se prefieren Pfizer o Moderna.

Si tiene entre 5 y 17 años y recibió la serie primaria de vacunas de Pfizer, es elegible para una dosis de refuerzo:

- 5 meses después de la última dosis de Pfizer.

Si tiene inmunodepresión moderada o grave, debería recibir su dosis de refuerzo antes. Consulte la página web de los CDC [Vacunas contra el COVID-19 para personas con inmunodepresión moderada o grave](#) para obtener más información.

Si aún no ha recibido su primera dosis de refuerzo y es tiempo de que reciba una, ahora es el momento de obtener su refuerzo.

Visite la herramienta interactiva de los CDC [Acceder a su dosis de refuerzo de la vacuna contra el COVID-19](#) para ayudar a determinar si usted (o su hijo) puede recibir uno o más dosis de refuerzos de COVID-19.

Hable con su médico si tiene preguntas.



Vacunas contra el COVID-19 - Preguntas frecuentes

DOSIS DE REFUERZO



¿Quién puede recibir una segunda dosis de refuerzo?

Las siguientes personas son elegibles para recibir una segunda dosis de refuerzo de COVID-19 *si han pasado al menos 4 meses* desde su primer refuerzo. Ellos quienes son:

- 50 años o más
- Mayores de 12 años y con [inmunodepresión moderada o grave](#)
- De 18 a 49 años que recibieron J&J tanto para la dosis primaria como para la dosis de refuerzo

Si tiene 50 años o más o si tiene 12 años o más y está [moderada o gravemente inmunocomprometido](#) (y han pasado 4 meses desde su primera dosis de refuerzo), **debería** recibir su segunda dosis de refuerzo ahora para mantenerse al día con sus vacunas contra el COVID-19. Es importante tener en cuenta que las tasas de COVID-19 están aumentando y que tiene un mayor riesgo de enfermarse gravemente si contrae el COVID-19.

Si tiene entre 18 y 49 años y recibió J&J tanto para la dosis primaria como para la dosis de refuerzo (y han pasado 4 meses desde su primera dosis de refuerzo), **puede** recibir una segunda dosis de refuerzo. La segunda dosis de refuerzo no es necesaria para considerarse al día. Si tiene un [mayor riesgo](#) de enfermarse de COVID-19, obtenga su segunda dosis de refuerzo ahora. Si está sano y tiene una exposición limitada a los demás, entonces puede considerar esperar.

Consulte la página web de los CDC [Dosis de refuerzo de la vacuna contra el COVID-19](#) para obtener más información.

Visite la herramienta interactiva de los CDC [Acceder a su dosis de refuerzo de la vacuna contra el COVID-19](#) para ayudar a determinar si usted (o su hijo) puede recibir una segunda dosis de refuerzo.

Hable con su médico si tiene preguntas.

¿Cuáles son los riesgos de recibir un refuerzo?

Las reacciones después de las dosis de refuerzo son similares a las de las dosis primarias. La mayoría de los efectos secundarios son de leves a moderados y duran 2 días o menos. Al igual que con la serie primaria, los efectos secundarios graves son raros. Para obtener más detalles, visite la página web de los CDC [Seguridad de las vacunas contra el COVID-19](#). Los beneficios de recibir una dosis de refuerzo superan cualquier riesgo conocido y potencial.

¿Tendré que mostrar una nota del médico o una receta para recibir una dosis de refuerzo?

No, no necesita una nota del médico ni una receta para recibir una dosis de refuerzo. Puede auto-atestar (autoinforme) si es elegible. Cuando vaya al lugar, lleve un comprobante de vacunación, como su tarjeta blanca de los CDC o el registro de vacunación digital. Visite la página web de salud pública sobre [Cómo vacunarse](#) para obtener más información.



Vacunas contra el COVID-19 - Preguntas frecuentes

DOSIS DE REFUERZO



¿Dónde puedo obtener más información?



- Para imprimir o ver estas preguntas frecuentes o preguntas frecuentes sobre otros temas de la vacuna contra el COVID-19, escanee el código QR o visite [las preguntas frecuentes sobre la vacuna contra el COVID-19](#).
- Página web de los CDC [Dosis de refuerzo de la vacuna contra el COVID-19](#)
- [VacunateLosAngeles.com](#): incluidos [los calendarios de vacunas contra el COVID-19](#) con gráficos para mostrar cuándo se debe administrar cada dosis e información sobre [Cómo vacunarse](#).
- Hable con su médico si tiene preguntas.



FREE FOOD DISTRIBUTION

In partnership with Foodbank of Southern California, the Curtis Tucker Center for Community Wellness is proud to host a monthly food pantry distribution event.

2nd Thursday of every month
10:00AM - 12:00PM


WALK UP ONLY - FIRST COME FIRST SERVED
WHILE SUPPLIES LAST - NO DOCUMENTATION REQUIRED

Curtis Tucker
Center for Community
Wellness

123 W. Manchester Blvd.
Inglewood, CA 90301

Enter from Queen Street

For more information email:
CurtisTuckerCCW@ph.lacounty.gov



DISTRIBUCIÓN DE ALIMENTOS GRATUITA

En asociación con Foodbank of Southern California y Curtis Tucker Center for Community Wellness tendremos un evento de distribución de alimentos mensualmente.

Segundo Jueves de cada mes
10:00AM - 12:00PM

Accesible por peatones - Se le sirve en orden de llegada
Hasta agotar existencias - No se requiere documentación

Curtis Tucker Center for Community Wellness

123 W. Manchester Blvd.
Inglewood, CA 90301

Entre por la calle Queen

Para más información envíe
un correo electrónico a

CurtisTuckerCCW@ph.lacounty.gov

